	Application No.	Applicant(s)
Notice of Allowability		
	09/622,634 Examiner	PETITJEAN ET AL.  Art Unit
		Artonic
	Omar Flores-Sánchez	3724
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 7/3/06.		
2. The allowed claim(s) is/are <u>15-24 and 29</u> .		
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)</li></ul>		
<ul><li>2.  Certified copies of the priority documents have been received in Application No</li><li>3.  Copies of the certified copies of the priority documents have been received in this national stage application from the</li></ul>		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) I hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	E   Nation of Information	Debout Amuliantian
<ol> <li>Notice of References Cited (PTO-692)</li> <li>Dotice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>	<ol> <li>5. ☐ Notice of Informal F</li> <li>6. ☐ Interview Summary</li> </ol>	, ,
	о. 🔲 interview Summary Paper No./Mail Da	te
Information Disclosure Statements (PTO/SB/08),     Paper No./Mail Date	Paper No./Mail Da 7. ☐ Examiner's Amend	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 09/622,634

Art Unit: 3724

## **REASONS FOR ALLOWANCE**

1. The following is an examiner's statement of reasons for allowance: The claim is allowable because the prior art fails to teach a method comprising the step of opening the lids of a channel to allow the central portion to be entrained along a conveyance direction into a processing line; and stopping a lateral cutting of at least one edge and cutting the central portion transversely to the conveyance direction whereby the edge portion entrain said central portion through the channel into the processing line as set forth in claim 15.

The combination of Jobst and Sumida et al. teaches the method of including the step of cutting off at least one edge laterally from the central portion along a conveyance direction (Fig. 3); cutting at least one edge along a direction transverse to the conveyance direction (Fig. 10B); taking up the at least one edge through the edge channel (Fig. 11A); securing the at least one edge in a pulling unit (Fig. 11B); cutting the central portion transversely to the conveyance direction (Fig. 1 and 10B); forming a loop of edges at the vicinity of the edge channel (Fig. 11A); cutting the central portion ahead of the channel an after securing the at least one edge (see Fig. 1); and opening the lids 41 of the channel (Fig. 2). However, The combination of Jobst and Sumida et al. fails to teach the central portion entrained along the conveyance direction into the processing line; and stopping the lateral cutting of at least one edge and cutting the central portion transversely to the conveyance direction whereby the edge portion entrain said central portion through the channel into the processing line.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Art Unit: 3724

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Omar Flores-Sánchez whose telephone number is 571-272-4507. The examiner can normally be reached on 8:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Boyer Ashley can be reached on 571-272-4502. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

ofs 9/29/06